

22JG6A

Beam Power Tube

Novar Type

The 22JG6A is the same as the 6JG6A except for:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (ac or dc) at 0.450 A	22.0	V
Warm-up time (Average)	11	s

22JR6

Beam Power Tube

Novar Type

The 22JR6 is the same as the 6JR6 except for:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (ac or dc) at 0.450 A	22.0	V
Warm-up time (Average)	11	s

22JU6

Beam Power Tube

Novar Type

The 22JU6 is the same as the 6JU6 except for:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (ac or dc) at 0.450 A	22.0	V
Warm-up time (Average)	11	s

22KM6

Beam Power Tube

Novar Type

The 22KM6 is the same as the 6KM6 except for:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (ac or dc) at 0.450 A	22.0	V
Warm-up time (Average)	11	s

22KV6A

Beam Power Tube

Novar Type

The 22KV6A is the same as the 6KV6A except for:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (ac or dc) at 0.450 A	22.0	V
Warm-up time (Average)	11	s

24JE6A

Beam Power Tube

Novar Type

The 24JE6A is the same as the 6JE6A except for:

Heater Characteristics and Ratings

Current	0.600 ± 0.040	A
Voltage (ac or dc) at 0.600 A	24.0	V
Warm-up time (Average)	11	s

24LQ6

Beam Power Tube

Novar Type

The 24LQ6 is the same as the 6LQ6 except for:

Heater Characteristics and Ratings

Current	0.600 ± 0.040	A
Voltage (ac or dc) at 0.600 A	24.0	V
Warm-up time (Average)	11	s